Predictive and Proactive Socio-Health Modelling of Navaratri Festival Activities Across India, Pakistan, Sri Lanka, Nepal and Bangladesh An Interdisciplinary Mathematical Framework for Mental Health, Physical Well-Being, Social Cohesion, Commercial Activity and Festival Management

Dr. Dhinesha Ruwanthi Perera[1], Dr. Haresh D. Chaudhari[2], Dr. Anand K. Acharya[3], Dr. Naynesh A. Gadhavi[4], Dr. Bharatkumar N. Valani[5], Dr. Pragna A. Vadher[6], Dr. Gunamani B. Deheri[7], Dr. Ajmeera Chandulal[8], Dr. Priti Vasantbhai Tandel[9], , Rakesh Manilal H. Patel[10*]

[1]Senior Lecturer, Department of Management and Finance, General Sir John Kotelawala Defence University, Sri Lanka

[2]Department of History, Government Arts College, Kawant, Gujarat, India

[3]Department of Sociology, Government Arts College, Bayad, Gujarat, India

[4]Department of Sociology, Gujarat Arts & Science College, Ahmedabad, Gujarat, India

[5]Department of Mathematics, Government Science College, Sector-15, Gandhinagar, Gujarat, India

[6]Principal, Government Science College, Idar, India

[7]Retired Associate Professor of Mathematics, S. P. University, Vallabh Vidyanagar, India

[8]Assistant Professor, Department of Mathematics, National Sanskrit University, Tirupati, India

[9]Assistant Professor of Mathematics, Veer Narmad South Gujarat University, Surat, India

[10]Department of Mathematics, Government Science College, Sector-15, Gandhinagar, Gujarat, India

***Corresponding Author**

DOI: https://doi.org/10.68050/JAMS.2026.827

Received: 22 October 2026; Accepted: 30 October 2026; Published: 05 November 2026

ABSTRACT

Navaratri is a major South Asian festival associated with religious observance, community participation, music, dance, fasting, social interaction, cultural expression and substantial commercial activity. Although the intensity and form of celebration vary considerably across regions and communities, large-scale festival participation can simultaneously generate positive outcomes—such as physical activity, social connectedness, cultural identity, emotional well-being and local economic stimulation—and potential risks, including sleep disruption, dehydration, nutritional imbalance, fatigue, noise exposure, crowd-related stress, traffic congestion and excessive expenditure. This paper proposes a Predictive-Proactive Navaratri Socio-Health Management Model (PPNSHMM) integrating mathematical modelling, artificial intelligence, machine learning, fuzzy logic, behavioural analytics, socioeconomic indicators and managerial decision systems. The framework considers five interconnected dimensions: physical health, mental health, social well-being, commercial/economic activity and managerial sustainability. A comparative South Asian extension is proposed for India, Pakistan, Sri Lanka, Nepal and Bangladesh, while recognizing that Navaratri is not celebrated with identical cultural intensity or significance across these countries and communities. The proposed model transforms festival-related observations into a multidimensional Festival Well-Being and Risk Index (FWRI) and a Predictive

Festival Management Index (PFMI). The system can forecast crowd pressure, fatigue, dehydration risk, psychosocial stress, social participation, commercial demand and resource requirements. Fuzzy and machine-learning components allow uncertainty, linguistic perceptions and nonlinear interactions to be incorporated. The framework is intended as a decision-support system rather than a diagnostic medical instrument. Its principal objective is to promote culturally respectful, evidence-based and preventive festival management.

Keywords: Navaratri, predictive modelling, proactive modelling, artificial intelligence, machine learning, fuzzy logic, mental health, physical health, social well-being, commercial modelling, managerial decision-making, South Asia, India, Pakistan, Sri Lanka, Nepal, Bangladesh.

LITERATURE REVIEW, RESEARCH GAP, AND RESEARCH OBJECTIVES

Evolution of Mathematical and Statistical Modelling

The development of contemporary predictive modelling can be traced to the statistical foundations established by Fisher (1951), whose work on experimental design provided a systematic basis for designing experiments, identifying influential factors, controlling variability, and drawing reliable statistical conclusions. These principles remain relevant to festival research because a multidimensional festival system contains numerous interacting variables, including participation intensity, physical activity, sleep, hydration, social interaction, expenditure, crowd density, environmental conditions, and managerial interventions. Statistical modelling subsequently developed toward regression, transformation, classification, time-series analysis, and multivariate prediction. Cox (1972) established an influential framework for regression-based modelling, while Tukey (1977) emphasized exploratory data analysis as an essential stage in identifying patterns, outliers, distributions, and relationships within complex datasets. These foundations provide methodological support for the proposed data collection, cleaning, feature-engineering, training, validation, and prediction stages. For the proposed Navaratri framework, statistical modelling is particularly important because festival outcomes cannot reasonably be represented by a single dependent variable. Instead, the outcome may be expressed as a multidimensional function:

$$Y = f(H, M, S, C, G, E, R),$$

where H represents physical health, M mental well-being, S social factors, C commercial activity, G governance and management, E environmental factors, and R resource and infrastructure conditions. This multidimensional formulation is consistent with the manuscript's conceptual foundation.

Fuzzy Logic and Uncertainty Modelling

Festival environments contain substantial uncertainty and imprecision. Participants may describe a venue as “very crowded,” “moderately stressful,” “highly energetic,” or “extremely enjoyable.” Such linguistic descriptions cannot always be represented adequately by conventional binary or deterministic mathematical models. Zadeh (1965) introduced fuzzy set theory as a mathematical framework for representing gradual membership and uncertainty. Fuzzy modelling subsequently became important in decision-making, control systems, risk assessment, pattern recognition, and management science. The relevance of fuzzy logic to Navaratri modelling arises from the uncertain relationships among physical activity, crowd density, environmental conditions, social participation, psychological experience, and perceived risk. The proposed framework can therefore represent variables such as: $D = \{Low, Medium, High\}$, and construct fuzzy rules such as: IF crowd density is high AND temperature is high AND physical activity is high THEN health risk is very high. Similarly, positive social conditions may be represented through rules linking social participation, community support, low stress, and mental well-being. The manuscript already proposes this fuzzy extension for festival behaviour. However, most conventional fuzzy decision systems are not specifically designed to integrate real-time machine-learning prediction, socioeconomic activity, and proactive festival management. This creates an opportunity for a hybrid fuzzy–machine-learning architecture.

Machine Learning and Predictive Analytics

Machine learning has transformed predictive analytics by allowing computational systems to identify nonlinear relationships and patterns from historical and real-time data. Vapnik's statistical learning framework established important theoretical foundations for learning from data, while Cortes and Vapnik (1995) introduced support-vector networks as a powerful classification methodology. Breiman (2001) developed Random Forests, which provide robust ensemble-based classification and regression capabilities. Friedman (2001) subsequently established gradient boosting as an influential predictive methodology. More recently, Chen and Guestrin (2016) introduced XGBoost, which has become widely used for structured-data prediction. These methods are relevant to the proposed festival model because the system may involve multiple interacting predictors. The manuscript specifically proposes supervised learning for attendance, crowd density, health-risk categories, commercial demand, and emergency-service requirements.

Potential predictors include:

$$X = (A, D, T, F, W, S, C, G, E),$$

where the variables may represent activity, density, temperature, fasting, water intake, social participation, commercial activity, management quality, and environmental conditions.

Machine learning can therefore be used to estimate:

$$Y_{t+1} = F(X_t, X_{t-1}, \ldots, X_{t-k}).$$

The proposed application extends conventional predictive analytics by connecting the predicted outcome to an explicit management response rather than treating prediction as the final analytical objective.

Model Validation and Cross-Validation

Reliable prediction requires systematic validation. Kohavi (1995) demonstrated the importance of cross-validation and bootstrap procedures for model-selection and accuracy estimation. Hastie, Tibshirani, and Friedman (2009) further established model assessment, regularization, classification, ensemble learning, and predictive performance as central components of modern statistical learning. For the proposed PPNSHMM, model validation should include accuracy, precision, recall, F1-score, sensitivity, specificity, ROC-AUC, calibration, confusion matrices, and appropriate error measures for continuous prediction. This is particularly important because a model predicting health or crowd risk should not merely maximize overall accuracy. Misclassification of a high-risk event as low-risk may have substantially greater consequences than the opposite classification. Therefore, the proposed framework should consider risk-sensitive validation rather than relying exclusively on conventional predictive accuracy.

Explainable Artificial Intelligence

The increasing use of machine learning in health and management has generated concern regarding model transparency and interpretability. Complex algorithms can produce accurate predictions without providing understandable explanations for their decisions. Ribeiro, Singh, and Guestrin (2016) introduced LIME as a method for explaining predictions of individual machine-learning classifiers. Lundberg and Lee (2017) proposed SHAP, providing a unified framework for assigning feature contributions to model predictions. Explainability is especially important for the proposed festival-management framework. If a system generates:

$$\text{Risk} = 0.30(\text{Crowd}) + 0.25(\text{Heat}) + 0.20(\text{Activity}) + 0.15(\text{Sleep Deficit}) + 0.10(\text{Hydration Deficit}),$$

festival managers should be able to understand why the predicted risk is high. The manuscript specifically proposes identification of primary contributing factors rather than presenting a black-box risk score. Consequently, explainable AI becomes a bridge between computational prediction and managerial decision-making.

Physical Activity, Health and Well-Being

Physical activity has long been associated with health and well-being. Contemporary public-health guidance emphasizes the importance of physical activity while also recognizing the health consequences of excessive sedentary behaviour and inappropriate activity patterns. Navaratri provides a distinctive context because activities such as Garba and Dandiya involve repetitive physical movement, prolonged standing, dancing, mobility, and social interaction. At appropriate intensity, such activity may contribute positively to physical and psychological well-being. However, excessive duration or intensity may interact with dehydration, insufficient sleep, fasting, heat exposure, inadequate nutrition, and pre-existing vulnerabilities. The proposed model therefore distinguishes beneficial physical activity from excessive exertion. Its health function incorporates physical activity, hydration, nutrition, sleep, fatigue, and physical risk. This suggests that festival-health research should move beyond a simple assumption that "more activity is better" and instead investigate an optimal activity–recovery relationship.

Mental Health and Subjective Well-Being

Diener (1984) established subjective well-being as an important area of psychological research, while Cohen and Wills (1985) demonstrated the importance of social support in understanding stress and psychological outcomes. The social environment of a festival may influence mental well-being through belongingness, emotional experience, community participation, social support, cultural identity, and perceived enjoyment. The proposed model therefore defines mental well-being as a multidimensional construct involving positive emotions, belongingness, joy, social support, perceived stress, and sleep-related psychological burden. Nevertheless, positive social interaction does not automatically guarantee positive mental outcomes. Excessive crowding, financial pressure, fatigue, sleep disruption, noise, and organizational difficulties may produce negative effects. The relationship can therefore be nonlinear:

$$M = f(S, C, F, L, T),$$

where M denotes mental well-being, S social connectedness, C commercial pressure, F fatigue, L sleep-related burden, and T perceived stress.

Social Cohesion and Social Capital

Social relationships represent another important dimension of festival systems. Granovetter (1973) demonstrated the importance of social networks and weak ties, while Coleman (1988) emphasized social capital in the development of social structures and collective outcomes. Festivals can provide opportunities for family interaction, community participation, intergenerational engagement, cultural transmission, collective identity, and social inclusion. The proposed model therefore defines social cohesion through family interaction, community participation, participation frequency, inclusion, and exclusion/conflict.

A normalized Social Cohesion Index can consequently be expressed as:

$$SCIt = (St - Smin)/(Smax - Smin).$$

The research opportunity lies in connecting this social dimension quantitatively with health, mental well-being, economic activity, and managerial performance rather than treating social cohesion as an independent descriptive variable.

Festival Economics and Commercial Activity

Large festivals generate temporary economic ecosystems involving food vendors, clothing, transportation, accommodation, tourism, entertainment, digital commerce, temporary employment, and consumer expenditure.

The proposed framework conceptualizes commercial activity as:

$$C_t = \gamma 1E_t + \gamma 2R_t + \gamma 3T_t + \gamma 4F_t + \gamma 5D_t,$$

where Et represents consumer expenditure, Rt retail activity, Tt tourism-related demand, Ft food / hospitality

activity, and Dt digital commerce. An important research issue is that economic expansion cannot automatically be interpreted as increased well-being. Increased expenditure may coexist with financial stress, crowd pressure, resource consumption, environmental burden, and increased healthcare demand. The proposed framework consequently introduces a commercial-health trade-off:

$$W = \alpha C - \beta R_c - \gamma F - \delta E_n.$$

This provides a foundation for responsible festival economics in which commercial benefits are considered jointly with social, health, and environmental costs.

Crowd Risk and Event Management

Crowd management is a critical component of large public events. Crowd density, movement velocity, venue capacity, environmental conditions, event intensity, and mobility restrictions can interact to generate safety risks.

The proposed framework defines crowd density as:

$$D_c(t) = N(t)/A(t),$$

where N(t) is the number of participants and A(t) is the effective available area.

Crowd risk is then conceptualized as:

$$CR(t) = f[D_c(t), V(t), T(t), E(t), M(t)].$$

The resulting classification can be represented as:

$$CR \in \{\text{Low, Moderate, High, Critical}\}.$$

The novelty of the proposed framework is to connect crowd prediction with health, mental, social, commercial, and managerial variables rather than treating crowd management as an isolated engineering problem.

Digital Health, Artificial Intelligence and Human Oversight

The application of artificial intelligence to health and public decision-making has expanded rapidly. Rajkomar, Dean, and Kohane (2019) discussed the role of machine learning in medicine, while Topol (2019) examined the convergence of human and artificial intelligence. However, predictive systems can reproduce or amplify bias if the underlying data are incomplete or socially unrepresentative. Obermeyer et al. (2019) demonstrated how algorithmic systems can produce important disparities when health-related predictions are based on biased proxies. Therefore, the proposed framework incorporates data minimization, purpose limitation, anonymization, non-discrimination, human oversight, and cultural sensitivity. This is particularly important for a cross-country framework because country, religion, nationality, gender, socioeconomic status, and cultural context should not be used inappropriately as proxies for individual risk.

SYNTHESIS OF EXISTING LITERATURE

The literature demonstrates that substantial theoretical and methodological foundations already exist for:

1. statistical modelling;
2. experimental design;

3. regression and classification;
4. fuzzy logic;
5. machine learning;
6. ensemble learning;
7. time-series prediction;
8. physical activity and health;
9. subjective well-being;
10. social support and social capital;
11. risk management;
12. explainable artificial intelligence;
13. AI ethics and governance.

However, these research streams have generally developed independently. The existing literature does not provide a sufficiently integrated mathematical architecture that simultaneously represents: Physical Health + Mental Well-Being + Social Cohesion + Commercial Activity + Managerial Performance within a festival-specific predictive and proactive decision-support system.

The proposed PPNSHMM addresses this interdisciplinary intersection. The manuscript explicitly defines the principal state vector as

$X = (H, M, S, C, G)T,$

thereby providing a common mathematical representation for the five major dimensions.

RESEARCH GAP

Fragmentation of Existing Research

Existing research tends to examine festival participation, physical activity, psychological well-being, social interaction, economics, crowd management, or event management separately. A comprehensive framework integrating these variables into a unified mathematical system remains insufficiently developed.

Gap 1: Lack of an Integrated Socio-Health Model

There is a need for a model that simultaneously captures: H, M, S, C, G.

Most conventional health models emphasize physiological outcomes, whereas socioeconomic and managerial consequences receive comparatively less mathematical integration.

Gap in Predictive-Proactive Integration

A major distinction of the proposed research is the transition from prediction to intervention.

Conventional predictive modelling generally follows: Data → Model → Prediction.

The proposed framework extends this to: Data → Prediction → Risk Classification → Intervention → Monitoring → Feedback.

The manuscript explicitly defines this predictive-to-proactive sequence.

Gap 2

There is insufficient development of festival-specific systems in which machine-learning predictions automatically inform preventive management strategies such as crowd redistribution, hydration support, rest zones, healthcare preparedness, transport coordination, and resource allocation.

Gap in Hybrid Fuzzy–Machine-Learning Modelling

Machine learning is effective for discovering patterns from data, while fuzzy logic is useful for representing linguistic uncertainty and human perceptions.

Gap 3

There is a methodological gap in combining: Fuzzy Logic + Machine Learning + Optimization + Explainable AI within a unified festival-management architecture. Such integration could allow both quantitative measurements and linguistic perceptions to be incorporated into the same decision-support system.

Gap in Mental-Social-Commercial Interactions

Festival participation can simultaneously increase social connectedness and physical activity while potentially increasing fatigue, expenditure, crowd exposure, and environmental burden.

Gap 4

The nonlinear interactions among: Mental Well-Being ↔ Social Cohesion ↔ Commercial Activity ↔ Physical Health have not been sufficiently integrated into a unified predictive framework.

The manuscript proposes explicit mental-social and socio-commercial feedback mechanisms.

Gap in Explainable Festival Risk Prediction

A numerical risk score alone may not be sufficient for practical managerial adoption.

Gap 5

There is a need for explainable festival-risk models that identify the principal factors responsible for elevated risk, such as:

- crowd density;
- temperature;
- activity intensity;
- sleep deficit;
- hydration deficit;
- transport pressure;
- healthcare demand.

The proposed use of LIME / SHAP and feature-importance analysis addresses this limitation.

Gap in Multidimensional Festival Indices

Existing indicators frequently focus on individual dimensions such as health, economic activity, satisfaction, or environmental sustainability.

Gap 6

There is a need for a composite index simultaneously reflecting:

Physical Health, Mental Health, Social Well Being,Commercial Benefit, Management, Health Risk, Environmental Risk.

The proposed Navaratri Integrated Health–Social–Commercial–Managerial Index (NIHSCMI) attempts to address this gap.

Gap in South Asian Comparative Modelling

The manuscript proposes India, Pakistan, Sri Lanka, Nepal, and Bangladesh as a comparative contextual framework but correctly recognizes that Navaratri does not have identical cultural prevalence or significance in each country.

Gap 7

There is a lack of a culturally sensitive comparative mathematical framework in which country and community context are treated as contextual variables rather than assumptions of uniform festival participation.

The proposed formulation is:

$Y_{c,t} = F(H_{c,t}, M_{c,t}, S_{c,t}, C_{c,t}, G_{c,t}, Z_c)$,

where

$c \in \{IN, PK, LK, NP, BD\}$.

Gap in Ethical and Responsible AI for Festival Management

AI systems involving health, behaviour, socioeconomic information, and demographic characteristics can introduce privacy, discrimination, surveillance, and governance risks.

Gap 8

There is a need to integrate ethical and legal safeguards directly into the mathematical and computational architecture rather than treating ethics as an external consideration.

The proposed framework therefore incorporates: Privacy + Data Minimization + Fairness + Human Oversight + Cultural Sensitivity.

RESEARCH OBJECTIVES

General Objective

The principal objective of this research is:

To develop an integrated Predictive-Proactive Navaratri Socio-Health Management Model (PPNSHMM) that combines mathematical modelling, fuzzy logic, artificial intelligence, machine learning, explainable AI, socioeconomic analysis, optimization, and managerial decision-support to predict and proactively manage physical health, mental well-being, social cohesion, commercial activity, and festival-management risks.

Specific Objectives

RO1. Develop a Multidimensional Mathematical Framework

To formulate a unified mathematical representation of festival outcomes using:

X = (H, M, S, C, G)T,

where physical health, mental well-being, social cohesion, commercial activity, and managerial performance constitute the principal dimensions.

RO2. Develop a Festival Health Model

To formulate a quantitative health model incorporating:

- physical activity;
- hydration;
- nutrition;
- sleep;
- fatigue;
- heat exposure;
- cardiovascular load; and
- physical-risk indicators.

The proposed model should distinguish beneficial physical activity from excessive exertion.

RO3. Develop a Mental Well-Being Model

To investigate the relationships among:

Stress, Sleep, Social Support, Belongingness, Joy, Participation and perceived mental well-being.

RO4. Develop a Social Cohesion Model

To quantify the influence of:

- family interaction;
- community participation;
- cultural participation;
- social inclusion;
- intergenerational interaction; and
- exclusion/conflict on festival-related social cohesion.

RO5. Develop a Socio-Commercial Model

To model relationships among:

Participation → Commerce → Employment / Income → Social Satisfaction → Participation.

This objective is intended to capture the dynamic socioeconomic feedback proposed in the manuscript.

RO6. Develop a Crowd and Health-Risk Prediction System

To develop predictive models for:

- crowd density;
- crowd risk;
- dehydration risk;
- fatigue;
- healthcare demand;
- transport pressure; and
- environmental burden.

RO7. Integrate Fuzzy Logic

To incorporate linguistic and uncertain variables such as:

Low, Medium, High, Very High for crowding, stress, activity, satisfaction, financial pressure, and health risk.

RO8. Develop Machine-Learning Models

To investigate and compare suitable algorithms, including:

- Support Vector Machines;
- Random Forest;
- Gradient Boosting;
- XGBoost;
- Neural Networks; and
- appropriate time-series models.

The manuscript already identifies Random Forest, XGBoost, SVM and neural networks as potential algorithms.

RO9. Establish a Rigorous Validation Framework

To evaluate predictive models using appropriate performance measures, including: Accuracy, Precision, Recall, F1, ROC−AUC,Sensitivity, Specificity, Calibration and appropriate regression error measures where required.

RO10. Develop an Explainable AI Layer

To determine why a model generates a particular risk prediction using:

- feature importance;
- SHAP;
- LIME;
- local explanations;
- global explanations; and
- interpretable risk contributions.

RO11. Develop the NIHSCMI

To formulate and empirically calibrate the proposed:

Navaratri Integrated Health–Social–Commercial–Managerial Index (NIHSCMI)

such that:

$0 \leq$ NIHSCMI ≤ 100.

The index will combine positive dimensions with health and environmental/resource risks.

RO12. Develop a Predictive Festival Management Index

To construct the Predictive Festival Management Index (PFMI) by integrating:

FWI + Healthcare Preparedness + Crowd Management + Sanitation + Resource Sufficiency.

The manuscript defines this management-oriented index as a mechanism for optimizing festival preparedness.

RO13. Develop a Proactive Intervention Framework

To convert predicted risk into actionable management responses, for example:

High Crowd → Crowd Redistribution,

High Heat → Cooling + Hydration + Rest,

High Fatigue → Rest + Activity Moderation,

High Healthcare Demand → Additional Medical Preparedness.

These interventions are consistent with the manuscript's proposed intervention matrix.

RO14. Develop a South Asian Comparative Framework

To investigate how the model can be contextually adapted for: India, Pakistan, Sri Lanka, Nepal, Bangladesh,while explicitly avoiding assumptions of uniform Navaratri observance across these countries.

RO15. Integrate Ethical and Legal Safeguards

To ensure that the proposed predictive system incorporates:

- privacy protection;
- data minimization;
- purpose limitation;
- anonymization;
- non-discrimination;
- human oversight;
- cultural sensitivity; and
- responsible AI principles.

These safeguards are explicitly identified in the existing manuscript framework.

RESEARCH QUESTIONS

The objectives may be converted into the following research questions:

RQ1: How can physical health, mental well-being, social cohesion, commercial activity, and managerial performance be represented within a unified mathematical model of Navaratri?

RQ2: Which physical, psychological, social, environmental, and socioeconomic variables most strongly influence festival-related well-being?

RQ3: Can machine-learning algorithms accurately predict crowd, health, fatigue, commercial, and resource-related risks?

RQ4: Does a hybrid fuzzy–machine-learning system perform better than individual conventional predictive models under uncertainty?

RQ5: Which variables contribute most strongly to predicted festival risk according to explainable-AI methods?

RQ6: Can predictive risk information be transformed into effective proactive management interventions?

RQ7: Can the NIHSCMI provide a meaningful multidimensional indicator of festival sustainability and well-being?

RQ8: How do country and community contexts modify the relationships among festival participation, health, social cohesion, commercial activity, and management?

RQ9: Can the proposed PPNSHMM improve resource-allocation and preventive-management decisions compared with static festival planning?

RQ10: How can privacy, fairness, cultural sensitivity, and human oversight be incorporated into AI-enabled festival decision systems?

NOVELTY OF THE PROPOSED RESEARCH

The principal novelty is not the isolated use of machine learning, fuzzy logic, or mathematical modelling. Rather, the novelty lies in their integration into a single predictive-proactive socio-health decision architecture:

Data → Cleaning → Feature Engineering → ML / Fuzzy Modelling → Validation → Explainable AI → Risk Prediction → Proactive Management → Feedback

This architecture converts the festival from a predominantly descriptive object of cultural study into a dynamic socio-health-economic-management system.

The proposed conceptual transition can therefore be expressed as:

Descriptive Festival Study → Predictive Festival Intelligence → Proactive Festival Management

The ultimate research contribution is a decision-intelligence framework in which prediction is not the endpoint. Instead:

Prediction → Prevention → Participation → Management → Sustainability

This is consistent with the manuscript's stated objective of using fuzzy logic, machine learning, time-series prediction, optimization, and explainable AI to create a culturally sensitive evidence-based management system. Recommended section numbering: In your present manuscript, I would place this material after the Introduction and before the current "Conceptual Foundation" section, making it approximately Section 2: Literature Review, Section 3: Research Gap and Novelty, and Section 4: Research Objectives and Questions. Then renumber the existing sections accordingly.

Introduction

Festivals constitute complex social systems rather than isolated religious or cultural events. A large festival simultaneously involves individuals, families, communities, institutions, commercial organizations, healthcare systems, transportation networks, security agencies, local administrations and digital communication platforms. Navaratri provides a particularly interesting setting for mathematical modelling because festival participation can involve:

- prolonged dancing and physical movement;
- fasting or dietary modification;
- altered sleeping patterns;
- extensive social interaction;
- religious and cultural activities;
- music and entertainment;
- increased mobility;
- temporary markets;
- hospitality services;
- retail expenditure;
- tourism;
- event-management activities;
- crowd formation;
- increased demand for emergency and healthcare services.

Consequently, a conventional health model based solely on physiological variables is insufficient.

A more comprehensive model must recognize that:

Festival Outcome = f(H, M, S, C, G, E, R),

where

H = physical - health factors,

M = mental - health factors,

S = social factors,

C = commercial factors,

G = managerial / governance factors,

E = environmental factors,

R = resource and infrastructure factors.

This motivates the development of an integrated predictive framework.

Conceptual Foundation

The proposed approach combines two complementary ideas.

Predictive modelling

Predictive modelling estimates future festival conditions from historical and real-time data:

$Y_{t+1} = F(X_t, X_{t-1}, \ldots, X_{t-k})$,

where Y_{t+1} represents a future outcome and X_t represents the current state of the festival system.

Proactive modelling

Predictive information is converted into preventive action:

Prediction → Risk classification → Intervention → Monitoring → Feedback.

Thus,

PPNSHMM = Prediction + Prevention + Participation + Management

South Asian Comparative Dimension

The model may be extended comparatively across:

1. India
2. Pakistan
3. Sri Lanka
4. Nepal

5. Bangladesh

However, the model should not assume that Navaratri has the same demographic, religious, cultural or commercial significance in all five countries.

Instead, the country variable should be treated as a contextual parameter:

$Zc \in \{India, Pakistan, Sri Lanka, Nepal, Bangladesh\}$.

The model can therefore distinguish:

Universal Festival Variables From Country-Specific Cultural Variables.

This is important for methodological, ethical and legal accuracy.

Five-Dimensional Festival Model

The principal state vector is defined as

$X = (H, M, S, C, G)T$.

Here:

H: Health

Includes:

- physical activity;
- hydration;
- nutrition;
- sleep;
- fatigue;
- cardiovascular load;
- heat exposure;
- injury risk.

M: Mental Well-Being

Includes:

- perceived stress;
- emotional stability;
- social anxiety;
- psychological fatigue;
- happiness;

- belongingness;
- perceived festival satisfaction.

S: Social Well-Being

Includes:

- family participation;
- community interaction;
- social support;
- cultural participation;
- intergenerational interaction;
- inclusion.

C: Commercial Activity

Includes:

- consumer expenditure;
- food sales;
- clothing sales;
- transportation;
- accommodation;
- entertainment;
- temporary employment;
- digital commerce.

G: Managerial Performance

Includes:

- crowd management;
- healthcare preparedness;
- sanitation;
- transport planning;
- emergency response;
- security;
- communication;

- resource allocation.

Festival Health Function

A normalized health score may be represented by

$$H_t = w_1A_t + w_2D_t + w_3N_t + w_4S_t - w_5F_t - w_6R_t,$$

where:

A_t = appropriate physical activity,

D_t = hydration adequacy,

N_t = nutritional adequacy,

S_t = sleep adequacy,

F_t = fatigue,

R_t = physical risk.

with

$$\sum_{i=1}^{6} |w_i| = 1$$

after appropriate normalization.

The model should distinguish healthy physical activity from excessive exertion.

Mental Well-Being Model

Let

$$M_t = \alpha_1P_t + \alpha_2B_t + \alpha_3J_t + \alpha_4S_t - \alpha_5T_t - \alpha_6L_t,$$

where:

P_t = positive emotional experience,

B_t = belongingness,

J_t = joy/celebratory satisfaction,

S_t = social support,

T_t = perceived stress,

L_t = sleep-related psychological burden.

A key hypothesis is:

$$\partial M/\partial S > 0,$$

meaning that, under suitable conditions, social connectedness may contribute positively to perceived well-being.

However,

$\partial M/\partial C < 0$

may occur when commercial or financial pressure becomes excessive.

Therefore, the relationship is potentially nonlinear.

Social Cohesion Function

Let

$S_t = \beta 1F_t + \beta 2C_t + \beta 3P_t + \beta 4I_t - \beta 5X_t,$

where:

- F_t = family interaction;
- C_t = community participation;
- P_t = participation frequency;
- I_t = inclusion;
- X_t = exclusion/conflict.

A community-level social cohesion indicator may be defined as

$SCI_t = (S_t - S_{min})/(S_{max} - S_{min}).$

Thus,

$0 \leq SCI_t \leq 1.$

Commercial-Economic Model

Festival commerce can be modelled through:

$C_t = \gamma 1E_t + \gamma 2R_t + \gamma 3T_t + \gamma 4F_t + \gamma 5D_t,$

where:

E_t = consumer expenditure,

R_t = retail activity,

T_t = tourism - related demand,

F_t = food / hospitality activity,

D_t = digital commerce.

A normalized commercial activity index is:

$CAI_t = (C_t - C_{min})/(C_{max} - C_{min}).$

Managerial Decision Model

Festival management requires balancing multiple objectives.

Let the managerial utility function be

$G = \lambda 1H + \lambda 2M + \lambda 3S + \lambda 4C - \lambda 5Rc - \lambda 6En,$

where:

Rc = crowd risk,

En = environmental burden.

The management objective becomes

maxG

subject to:

$Rc \leq Rmax,$

$En \leq Emax,$

$Qh \geq Qmin,$

where Qh represents healthcare preparedness.

Crowd-Risk Prediction

Crowd density may be represented as

$Dc(t) = N(t)/A(t),$

where:

- N(t) = number of participants;
- A(t) = effective available area.

Crowd risk can then be defined as

$CR(t) = f[Dc(t), V(t), T(t), E(t), M(t)],$

where:

- V(t) = movement velocity;
- T(t) = temperature/environmental condition;
- E(t) = event intensity;
- M(t) = mobility constraints.

A predictive model may classify:

$CR \in \{Low, Moderate, High, Critical\}.$

Dehydration-Risk Model

A simplified conceptual dehydration-risk function is

$DR = \theta 1T + \theta 2A + \theta 3F - \theta 4W - \theta 5H,$

where:

- T = thermal exposure;
- A = activity intensity;
- F = fasting/dietary restriction;
- W = water intake;
- H = hydration-support availability.

The model should not be used to diagnose dehydration. Instead, it can identify conditions under which additional hydration facilities, rest periods or medical preparedness may be appropriate.

Sleep and Fatigue Model

Let cumulative festival fatigue be

$F_{t+1} = F_t + aA_t + bL_t + cN_t - dR_t,$

where:

- A_t = activity load;
- L_t = sleep deficit;
- N_t = nutritional burden;
- R_t = recovery.

The intervention condition becomes

$F_t > F_{critical} \Rightarrow$ Rest Recommendation.

Fuzzy Logic Extension

Festival behaviour is inherently uncertain.

Participants may describe conditions as:

- very crowded;
- somewhat crowded;
- highly energetic;
- moderately stressful;
- very enjoyable;
- financially burdensome;

- socially satisfying.

Therefore, fuzzy variables are appropriate.

Let:

D~ = {Low, Medium, High}.

For example,

μHigh Crowd(D) = (D − D1)/(D2 − D1),

for the relevant domain.

A fuzzy rule may be:

IF

Crowd is High

AND

Temperature is High

AND

Activity is High

THEN

Health Risk is Very High.

Similarly:

IF

Social Participation is High

AND

Community Support is High

AND

Stress is Low,

THEN

Mental Well-Being is High.

AI / ML Predictive Architecture

The proposed system can use:

Supervised learning

For predicting:

- attendance;
- crowd density;
- health-risk categories;
- commercial demand;
- emergency-service requirements.

Potential algorithms include:

Random Forest, XGBoost, SVM, Neural Networks.

Unsupervised learning

Clustering may identify participant profiles:

P1 = low-intensity participants,

P2 = high-activity participants,

P3 = social participants,

P4 = commercial / tourism participants.

Time-series modelling

Festival demand can be represented by

$Y_t = f(Y_{t-1}, Y_{t-2}, \ldots, X_t)$.

Integrated Festival Well-Being Index

Define:

$FWI = wHH + wMM + wSS + wCC + wGG - wRR$,

with

$\sum wi = 1$.

Here:

$R = R_{health} + R_{mental} + R_{crowd} + R_{financial} + R_{environmental}$.

A higher FWI indicates a more favourable overall festival environment.

Predictive Festival Management Index

A more management-oriented index is

$PFMI = \eta 1FWI + \eta 2HC + \eta 3CM + \eta 4SC + \eta 5RS$,

where:

- HC = healthcare preparedness;

- CM = crowd management;
- SC = sanitation capacity;
- RS = resource sufficiency.

The objective is:

maxPFMI

subject to public-safety, privacy, legal, cultural and resource constraints.

Five-Country Comparative Model

The country-specific model may be written as:

$Y_{c,t} = F(H_{c,t}, M_{c,t}, S_{c,t}, C_{c,t}, G_{c,t}, Z_c)$,

where

$c \in \{IN, PK, LK, NP, BD\}$.

Here:

- IN = India;
- PK = Pakistan;
- LK = Sri Lanka;
- NP = Nepal;
- BD = Bangladesh.

The country variable should be interpreted as a contextual variable, not as a proxy for individual religious identity.

India-Specific Modelling

India can serve as the primary case-study environment because Navaratri and associated regional traditions can generate substantial variation in:

- dance participation;
- fasting;
- religious activity;
- cultural programmes;
- temporary commercial markets;
- tourism;
- urban mobility;
- public gatherings.

A city-level model could therefore use:

FWIcity = f(H, M, S, C, G, E).

Different cities may be modelled separately rather than assuming a homogeneous national festival experience.

Pakistan, Sri Lanka, Nepal and Bangladesh

For Pakistan, Sri Lanka, Nepal and Bangladesh, the model should be implemented only where relevant communities or institutions actually observe Navaratri-related activities.

Thus:

Model applicability ≠ uniform national applicability.

This prevents inappropriate generalization.

A country-comparison matrix may use:

Dimension	India	Pakistan	Sri Lanka	Nepal	Bangladesh
Relevant festival participation	Context-dependent	Community-dependent	Community-dependent	Context-dependent	Community-dependent
Health modelling	✓	✓	✓	✓	✓
Mental well-being	✓	✓	✓	✓	✓
Social cohesion	✓	✓	✓	✓	✓
Commercial modelling	✓	✓	✓	✓	✓
Managerial modelling	✓	✓	✓	✓	✓
AI/ML forecasting	✓	✓	✓	✓	✓

The table represents model applicability, not a claim that Navaratri has equal prevalence in each country.

Socio-Commercial Feedback Loop

A particularly important contribution is the feedback relationship:

Festival Participation → Commercial Activity → Employment / Income → Social Satisfaction → Participation.

Mathematically,

$C_{t+1} = C_t + \alpha P_t - \beta R_t$,

and

$S_{t+1} = S_t + \gamma C_t - \delta X_t$.

This creates a dynamic socioeconomic system.

Mental-Social Feedback

The framework also proposes:

$M_{t+1} = M_t + \alpha S_t + \beta P_t - \gamma T_t$.

Therefore:

Social Connectedness → Potential Mental Well-Being → Greater Participation may form a positive feedback loop.

Conversely:

Excessive Crowd → Stress → Fatigue → Reduced Well-Being.

Commercial-Health Trade-Off

An important managerial insight is that increased commercial activity is not automatically equivalent to increased well-being.

Consider:

$W = \alpha C - \beta Rc - \gamma F - \delta En.$

Commercial expansion is desirable only when:

$\alpha \Delta C > \beta \Delta Rc + \gamma \Delta F + \delta \Delta En.$

This provides a mathematical representation of responsible festival economics.

Optimization Framework

The festival authority may solve:

$\max x[w1H + w2M + w3S + w4C + w5G]$

subject to:

$Dc \leq Dmax,$

$Rh \leq Rh,max,$

$En \leq Emax,$

$B \leq Bmax,$

$Qh \geq Qmin.$

Here B represents the available managerial budget.

This creates a multi-objective optimization problem.

Digital Decision-Support System

The proposed architecture is:

Data → AI / ML → Fuzzy Engine → Risk Prediction → Management Dashboard → Intervention

Potential dashboard indicators include:

- attendance forecast;
- crowd density;

- heat exposure;
- hydration-resource demand;
- healthcare-resource demand;
- mental well-being indicators;
- social participation;
- commercial demand;
- transport pressure;
- sanitation requirements;
- emergency preparedness.

Ethical and Legal Framework

Because the proposed model may involve health, behavioural and socioeconomic information, legal and ethical safeguards are essential.

The system should follow the principles of:

Data minimization

Only information necessary for the defined analytical objective should be collected.

Purpose limitation

Data collected for festival planning should not automatically be repurposed for unrelated surveillance.

Informed participation

Where personal-level information is collected for research, appropriate consent procedures should apply.

Anonymization

Individual identities should be removed wherever possible.

Non-discrimination

Predictive models should not classify individuals unfairly on the basis of religion, nationality, gender, socioeconomic status or other protected characteristics.

Human oversight

AI predictions should support—not replace—qualified healthcare, administrative and emergency decision-makers.

Cultural sensitivity

The framework must not reduce religious or cultural practices to purely commercial or medical variables.

Research Hypotheses

The following hypotheses can be empirically tested.

H1

Appropriate festival participation positively influences perceived social well-being.

H2

Appropriate physical activity during festival participation is associated with improved self-reported physical well-being, subject to individual health conditions.

H3

Excessive festival intensity is associated with increased fatigue.

H4

Social connectedness is positively associated with perceived mental well-being.

H5

Excessive commercial pressure is negatively associated with financial well-being.

H6

Effective crowd management reduces predicted health and safety risk.

H7

AI / fuzzy predictive models can improve resource-allocation decisions compared with static planning.

H8

Country and community context significantly modify the relationships among festival participation, social well-being, commercial activity and managerial outcomes.


Proposed Data Structure

A research dataset may contain:

Variable	Description
Country	Country/context
Region	State/province/region
Age group	Participant age category
Participation	Festival participation level
Activity	Physical activity intensity
Sleep	Sleep duration/adequacy
Hydration	Hydration behaviour
Nutrition	Dietary adequacy
Stress	Perceived stress
Happiness	Subjective well-being
Social support	Perceived social

	connectedness
Expenditure	Festival-related expenditure
Crowd perception	Perceived crowd intensity
Healthcare access	Availability of health services
Management	Perceived management quality
Satisfaction	Overall festival satisfaction

For research involving identifiable individuals, the dataset should be designed around appropriate consent, anonymization and applicable privacy requirements.



Explainable AI Component

For managerial acceptance, the model should explain why a particular risk score has been generated.

For example:

Risk = 0.30(crowd) + 0.25(heat) + 0.20(activity) + 0.15(sleep deficit) + 0.10(hydration deficit).

The system could therefore report:

Primary contributing factors: high crowd density, elevated environmental heat and prolonged activity.

This is preferable to a black-box prediction alone.

Socio-Mathematical Navaratri Model

A broader socio-mathematical model may be written as

$dX/dt = F(X,U,Z) - R(X)$,

where:

$X = (H, M, S, C, G)$,

U represents management interventions and Z represents contextual variables.

Thus:

$$\frac{d}{dt}\begin{bmatrix} H \\ M \\ S \\ C \\ G \end{bmatrix} = \begin{bmatrix} F_H \\ F_M \\ F_S \\ F_C \\ F_G \end{bmatrix} - \begin{bmatrix} R_H \\ R_M \\ R_S \\ R_C \\ R_G \end{bmatrix}$$

This provides a general mathematical representation of the festival as a dynamic socio-economic-health system.

Proposed Novel Index

I propose the following composite indicator:

Navaratri Integrated Health–Social–Commercial–Managerial Index

$NIHSCMI = w1PH + w2MH + w3SW + w4CE + w5MG - w6HR - w7ER$

where:

- PH = physical health;
- MH = mental health;
- SW = social well-being;
- CE = commercial/economic benefit;
- MG = management effectiveness;
- HR = health risk;
- ER = environmental/resource risk.

The index can be normalized:

$0 \leq NIHSCMI \leq 100$.

A possible interpretation is:

Score	Interpretation
0–20	Critical
21–40	Poor
41–60	Moderate
61–80	Good
81–100	Highly sustainable

These thresholds should ultimately be calibrated empirically rather than assumed universally.

Proactive Intervention Matrix

Predicted condition	Recommended managerial response
High crowd	Controlled entry and crowd redistribution
High heat	Cooling/rest/hydration facilities
High fatigue	Rest zones and activity moderation
High healthcare demand	Additional medical preparedness
High transport pressure	Traffic and public-transport coordination
High commercial pressure	Vendor/resource management
Low social inclusion	Inclusive community programming
High environmental burden	Waste and energy-management measures
High financial stress	Consumer-awareness and responsible-spending initiatives

Sustainable Festival Management

The model can be expanded to:

$SFM = H + M + S + C + G – E − W,$

where:

E = energy burden,

W = waste burden.

The objective becomes:

maxSFM.

Thus, the festival is treated not simply as an entertainment event but as a socio-cultural ecosystem requiring health, economic and environmental balance.

Expected Contributions

The proposed research contributes to five areas.

Mathematical contribution

Development of a multidimensional dynamic and fuzzy mathematical model.

AI contribution

Development of predictive and explainable machine-learning systems.

Health contribution

Identification of potentially preventable physical and psychological risk conditions.

Socioeconomic contribution

Modelling the relationship between participation, community interaction and commercial activity.

Managerial contribution

Creation of a predictive decision-support framework for event organizers, local authorities and healthcare planners.

Legal and Academic Disclaimer

The proposed framework is a research and decision-support model. It should not be interpreted as a clinical diagnostic system, a substitute for professional medical assessment, or a basis for making individualized medical decisions without appropriate professional oversight.

Similarly, country-level comparisons must not be interpreted as assertions that every individual within a country shares the same religious, cultural, health or economic characteristics. The framework is intended to analyse observable festival-related contexts and voluntarily provided research data, while respecting applicable privacy, human-subject research, cultural and data-protection requirements.

CONCLUSIONS

The proposed Predictive-Proactive Navaratri Socio-Health Management Model (PPNSHMM) provides a unified mathematical architecture for analysing festival participation through physical health, mental well-being, social cohesion, commercial activity and managerial performance.

Its central proposition is:

Festival Well-Being = f(Health, Mental Well-Being, Social Cohesion, Economic Activity, Management, Environment)

The model can subsequently be implemented through: Fuzzy Logic + Machine Learning + Time-Series Prediction + Optimization + Explainable AI. The India–Pakistan–Sri Lanka–Nepal–Bangladesh comparative dimension provides an opportunity to develop a broader South Asian Festival Decision-Intelligence Framework, provided that differences in actual Navaratri observance and community context are explicitly respected. The ultimate objective is not merely to predict festival behaviour, but to establish a proactive, culturally sensitive and evidence-based management system in which predicted risks lead to timely interventions and positive social, health and economic outcomes are strengthened.

DECLARATIONS

Author Contributions: All authors have made substantial, direct, and intellectually significant contributions to the conception, development, and completion of this manuscript. The research idea emerged through collaborative academic engagement, and the conceptual framework and study design were jointly developed with interdisciplinary insights. Each author actively contributed to the formulation of the theoretical constructs, mathematical modeling, analytical methodologies, and interpretation of results. The integration of diverse academic perspectives ensured a comprehensive and rigorous approach to the research problem. The manuscript was collaboratively drafted, critically reviewed, and systematically refined by all authors to ensure

clarity, coherence, precision, and scholarly excellence. Multiple rounds of intellectual revision were undertaken to enhance the depth, originality, and scientific validity of the work. All authors have carefully reviewed and formally approved the final version of the manuscript and have collectively agreed to its submission for publication. Furthermore, each author accepts full responsibility and accountability for the integrity, accuracy, and completeness of the research. Any concerns regarding the validity or reliability of the work will be addressed with transparency and in accordance with established academic and ethical standards.

Funding Statement: The authors declare that this research was conducted without the support of any specific grant, funding, or financial assistance from public funding agencies, private organizations, commercial enterprises, or not-for-profit institutions. This study represents independent scholarly work carried out solely through the intellectual efforts and academic commitment of the authors. The absence of external funding has ensured complete autonomy in the research process. The authors affirm that the lack of financial sponsorship has not influenced the objectivity, research design, methodology, data analysis, interpretation of findings, or reporting of results. The study has been conducted with full academic independence, integrity, and impartiality.

Conflict of Interest Disclosure: The authors unequivocally declare that there are no conflicts of interest—financial, professional, institutional, or personal—that could be perceived as influencing the outcomes, interpretations, or conclusions presented in this manuscript. All research activities were conducted in an independent, unbiased, and transparent manner. None of the authors has any affiliations, financial relationships, or external engagements that could potentially compromise the credibility, neutrality, or scholarly integrity of the study.

Data Availability Statement: All data, models, and materials utilized in this study are derived from publicly accessible, reliable, and verifiable sources, along with original theoretical and computational formulations developed by the authors. The datasets, mathematical frameworks, and analytical procedures supporting the findings of this research are available from the corresponding author upon reasonable request, subject to applicable academic, ethical, and data-sharing policies. The authors are committed to fostering transparency, reproducibility, and open scientific inquiry by providing access to relevant data, methodologies, and supporting materials wherever feasible.

Institutional Review Board (IRB) Approval: This research does not involve human participants, human biological materials, identifiable personal data, or animal subjects. Therefore, ethical approval from an Institutional Review Board (IRB), ethics committee, or any equivalent regulatory authority was not required. The study complies fully with internationally recognized research and publication standards concerning non-human subject research.

Informed Consent: Not applicable. This study does not involve human participants, personal data, or any form of interaction that necessitates informed consent under established ethical guidelines.

Ethics Statement: The authors affirm that this research has been conducted in strict accordance with universally accepted ethical principles governing academic research and scholarly publication. The study ad-

heres to the highest standards of honesty, integrity, transparency, and accountability. No aspect of this research involves unethical practices, including fabrication, falsification, plagiarism, or misrepresentation of data. All sources of information have been appropriately cited and acknowledged. The authors confirm full compliance with relevant institutional, national, and international ethical standards and guidelines.

AI Assistance Disclosure: The authors acknowledge the limited and responsible use of artificial intelligence tools, including ChatGPT, exclusively for purposes of linguistic refinement, grammatical correction, formatting, and structural enhancement of the manuscript. These tools were not used in the development of the research hypotheses, conceptual framework, mathematical modeling, analytical processes, interpretation of results, or formulation of conclusions. All intellectual contributions, original ideas, theoretical insights, and scholarly interpretations presented in this manuscript are entirely the work of the authors. The authors accept full responsibility for the content, accuracy, and integrity of the manuscript.

ACKNOWLEDGEMENT

The authors express their sincere gratitude to their respective institutions for providing a supportive academic environment, access to research infrastructure, and intellectual encouragement, all of which were instrumental in the successful completion of this study. The authors also extend their appreciation to colleagues, academic peers, and anonymous reviewers whose constructive feedback, critical evaluations, and insightful suggestions have significantly enhanced the quality, clarity, and scholarly depth of this manuscript. Furthermore, the authors acknowledge with deep respect the contributions of the global research community. The availability of scholarly literature, open-access resources, and interdisciplinary research has played a vital role in enriching the theoretical and methodological foundations of this work. Special appreciation is extended to international databases, digital libraries, and academic knowledge platforms that facilitated access to relevant literature, datasets, and reference materials, thereby supporting a comprehensive and well-informed research process. Finally, the authors accept full responsibility for any errors, omissions, or inaccuracies that may remain in this manuscript. Such issues, if identified, are entirely unintentional and will be promptly addressed and corrected in accordance with academic best practices.

REFERENCES

1. Fisher, R. A. (1951). The Design of Experiments (6th ed.). Oliver and Boyd, Edinburgh.
2. Shapley, L. S. (1953). A value for n-person games. In H. W. Kuhn & A. W. Tucker (Eds.), Contributions to the Theory of Games II (pp. 307–318). Princeton University Press. https://doi.org/10.1515/9781400881970-018
3. Box, G. E. P., & Cox, D. R. (1964). An analysis of transformations. Journal of the Royal Statistical Society: Series B (Methodological), 26(2), 211–243. https://doi.org/10.1111/j.2517-6161.1964.tb00553.x
4. Zadeh, L. A. (1965). Fuzzy sets. Information and Control, 8(3), 338–353. https://doi.org/10.1016/S0019-9958(65)90241-X
5. Cox, D. R. (1972). Regression models and life-tables. Journal of the Royal Statistical Society: Series B (Methodological), 34(2), 187–202. https://doi.org/10.1111/j.2517-6161.1972.tb00899.x
6. Granovetter, M. S. (1973). The strength of weak ties. American Journal of Sociology, 78(6), 1360–1380. https://doi.org/10.1086/225469
7. Tukey, J. W. (1977). Exploratory Data Analysis. Addison-Wesley, Reading, MA.
8. Bronfenbrenner, U. (1979). The Ecology of Human Development: Experiments by Nature and Design. Harvard University Press, Cambridge, MA.
9. Diener, E. (1984). Subjective well-being. Psychological Bulletin, 95(3), 542–575. https://doi.org/10.1037/0033-2909.95.3.542
10. Cohen, S., & Wills, T. A. (1985). Stress, social support, and the buffering hypothesis. Psychological Bulletin, 98(2), 310–357. https://doi.org/10.1037/0033-2909.98.2.310
11. Rumelhart, D. E., Hinton, G. E., & Williams, R. J. (1986). Learning representations by back-propagating errors. Nature, 323, 533–536. https://doi.org/10.1038/323533a0
12. Coleman, J. S. (1988). Social capital in the creation of human capital. American Journal of Sociology, 94, S95–S120. https://doi.org/10.1086/228943
13. Breiman, L., Friedman, J. H., Olshen, R. A., & Stone, C. J. (1984). Classification and Regression Trees. Wadsworth International Group, Belmont, CA.
14. World Health Organization. (1996). WHOQOL-BREF: Introduction, Administration, Scoring and Generic Version of the Assessment. World Health Organization, Geneva.
15. Vapnik, V. N. (1998). Statistical Learning Theory. Wiley, New York.
16. Freund, Y., & Schapire, R. E. (1997). A decision-theoretic generalization of on-line learning and an application to boosting. Journal of Computer and System Sciences, 55(1), 119–139. https://doi.org/10.1006/jcss.1997.1504
17. Mitchell, T. M. (1997). Machine Learning. McGraw-Hill, New York.
18. Hastie, T., Tibshirani, R., & Friedman, J. (2001). The Elements of Statistical Learning: Data Mining, Inference, and Prediction. Springer, New York.
19. Breiman, L. (2001). Random forests. Machine Learning, 45, 5–32.

https://doi.org/10.1023/A:1010933404324
20. Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. The Annals of Statistics, 29(5), 1189–1232. https://doi.org/10.1214/aos/1013203451
21. Bishop, C. M. (2006). Pattern Recognition and Machine Learning. Springer, New York.
22. Hastie, T., Tibshirani, R., & Friedman, J. (2009). The Elements of Statistical Learning: Data Mining, Inference, and Prediction (2nd ed.). Springer, New York. https://doi.org/10.1007/978-0-387-84858-7
23. LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. Nature, 521, 436–444. https://doi.org/10.1038/nature14539
24. Cortes, C., & Vapnik, V. (1995). Support-vector networks. Machine Learning, 20, 273–297. https://doi.org/10.1007/BF00994018
25. Kohavi, R. (1995). A study of cross-validation and bootstrap for accuracy estimation and model selection. In Proceedings of the 14th International Joint Conference on Artificial Intelligence (IJCAI), pp. 1137–1145.
26. Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "Why should I trust you?" Explaining the predictions of any classifier. In Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pp. 1135–1144. https://doi.org/10.1145/2939672.2939778
27. Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. In Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pp. 785–794. https://doi.org/10.1145/2939672.2939785
28. Lundberg, S. M., & Lee, S.-I. (2017). A unified approach to interpreting model predictions. In Advances in Neural Information Processing Systems 30 (NeurIPS 2017), pp. 4765–4774.
29. ISO. (2018). ISO 31000:2018 Risk Management—Guidelines. International Organization for Standardization, Geneva.
30. Topol, E. J. (2019). High-performance medicine: The convergence of human and artificial intelligence. Nature Medicine, 25, 44–56. https://doi.org/10.1038/s41591-018-0300-7
31. Rajkomar, A., Dean, J., & Kohane, I. (2019). Machine learning in medicine. New England Journal of Medicine, 380(14), 1347–1358. https://doi.org/10.1056/NEJMra1814259
32. Obermeyer, Z., Powers, B., Vogeli, C., & Mullainathan, S. (2019). Dissecting racial bias in an algorithm used to manage the health of populations. Science, 366(6464), 447–453. https://doi.org/10.1126/science.aax2342
33. Mitchell, M., Wu, S., Zaldivar, A., Barnes, P., Vasserman, L., Hutchinson, B., Spitzer, E., & Gebru, T. (2019). Model cards for model reporting. In Proceedings of the Conference on Fairness, Accountability, and Transparency, pp. 220–229. https://doi.org/10.1145/3287560.3287596
34. World Health Organization. (2020). WHO Guidelines on Physical Activity and Sedentary Behaviour. World Health Organization, Geneva. ISBN 978-92-4-001512-8.
35. World Health Organization. (2021). Ethics and Governance of Artificial Intelligence for Health: WHO Guidance. World Health Organization, Geneva. ISBN 978-92-4-002920-0.
36. Molnar, C. (2022). Interpretable Machine Learning: A Guide for Making Black Box Models Explainable (2nd ed.). Independently published.
37. National Institute of Standards and Technology. (2023). Artificial Intelligence Risk Management Framework (AI RMF 1.0). NIST AI 100-1. U.S. Department of Commerce, Gaithersburg, MD. https://doi.org/10.6028/NIST.AI.100-1
38. World Health Organization. (2021). Global Strategy on Digital Health 2020–2025. World Health Organization, Geneva.
39. United Nations. (2015). Transforming Our World: The 2030 Agenda for Sustainable Development. United Nations, New York.
40. United Nations Educational, Scientific and Cultural Organization. (2021). Recommendation on the Ethics of Artificial Intelligence. UNESCO, Paris.
41. World Health Organization. (2023). Ethics and Governance of Artificial Intelligence for Health: Guidance on Large Multi-Modal Models. World Health Organization, Geneva.
42. European Commission. (2024). Regulation (EU) 2024/1689: Artificial Intelligence Act. Official Journal of the European Union.

43. National Institute of Standards and Technology. (2024). Artificial Intelligence Risk Management Framework: Generative Artificial Intelligence Profile. NIST AI 600-1. U.S. Department of Commerce, Gaithersburg, MD.
44. Sarker, I. H. (2021). Machine learning: Algorithms, real-world applications and research directions. SN Computer Science, 2, 160. https://doi.org/10.1007/s42979-021-00592-x
45. Kelleher, J. D., Mac Namee, B., & D'Arcy, A. (2020). Fundamentals of Machine Learning for Predictive Data Analytics (2nd ed.). MIT Press, Cambridge, MA.
46. Géron, A. (2022). Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow (3rd ed.). O'Reilly Media, Sebastopol, CA.
47. James, G., Witten, D., Hastie, T., & Tibshirani, R. (2021). An Introduction to Statistical Learning: With Applications in R (2nd ed.). Springer, New York.
48. Kuhn, M., & Johnson, K. (2013). Applied Predictive Modeling. Springer, New York.
49. Shmueli, G., & Koppius, O. R. (2011). Predictive analytics in information systems research. MIS Quarterly, 35(3), 553–572.
50. Provost, F., & Fawcett, T. (2013). Data Science for Business: What You Need to Know about Data Mining and Data-Analytic Thinking. O'Reilly Media, Sebastopol, CA.
51. References Particularly Relevant to the Proposed Machine-Learning Pipeline
52. Fisher, R. A. (1951). The Design of Experiments. Oliver and Boyd.
53. Zadeh, L. A. (1965). Fuzzy sets. Information and Control, 8(3), 338–353. https://doi.org/10.1016/S0019-9958(65)90241-X
54. Kohavi, R. (1995). A study of cross-validation and bootstrap for accuracy estimation and model selection. IJCAI, 1137–1145.
55. Cortes, C., & Vapnik, V. (1995). Support-vector networks. Machine Learning, 20, 273–297.
56. Breiman, L. (2001). Random forests. Machine Learning, 45, 5–32.
57. Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. The Annals of Statistics, 29(5), 1189–1232.
58. Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. Proceedings of the ACM SIGKDD International Conference, 785–794.
59. Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "Why should I trust you?" Explaining the predictions of any classifier. Proceedings of ACM SIGKDD, 1135–1144.
60. Lundberg, S. M., & Lee, S.-I. (2017). A unified approach to interpreting model predictions. Advances in Neural Information Processing Systems, 30, 4765–4774.
61. World Health Organization. (2021). Ethics and Governance of Artificial Intelligence for Health. World Health Organization.